

Eric Frykman, MD, MPH Public Health Officer Susan D. Harrington, M.S., R.D. Director, Dept. of Public Health

## Influenza-like Illness Symptom Screening Tool for Parents and Caregivers

Parents and caregivers should use the following questionnaire to assess the health status of their child on a daily basis.

1.	Fever (100°F or greater)?	$\square$ Yes	□ No
2.	Sore Throat?	□ Yes	$ \square \ No$
3.	Cough?	□ Yes	$\square$ No
4.	Nasal congestion?	□ Yes	$\square$ No
5.	Runny Nose?	□ Yes	$\square$ No

## SHOULD I KEEP MY CHILD HOME?

- If you checked Yes to fever AND one of the other symptoms, keep your child home for seven days after symptoms start, even if they no longer are ill. If your child is still sick after sever days, keep your child home until well for 24 hours. If you have questions about your child's health or symptoms, call your child's healthcare provider.
- If your child has been diagnosed by a healthcare provider with a different disease, such as strep, follow your healthcare provider's recommendation and school policy for when to return to school.

## WHAT SHOULD I TELL MY CHILD'S SCHOOL?

- If you checked Yes to fever AND one of the other symptoms, tell your child's attendance office that your child is home with influenza-like illness.
- If your child has been diagnosed by a healthcare provider with a different disease, such as strep, tell your child's attendance office.

## FOR MORE INFORMATION:

www.rivco-diseasecontrol.org www.cdph.ca.gov http://www.cdc.gov/h1n1flu/

Adapted from California Department of Public Health