

Research and Evaluation, Jun 2012

## Table of Contents

Logging Onto ImageNet	3-4
Entering Web Forms	5
Selecting Your Program	6
Selecting Your Reporting Unit	7
Selecting the Partner	8-9
Selecting an FSP Form	10
General Form Navigation	11
Entering a PAF	12
PAF: Administration Page	13
PAF: Residential	14
PAF: Education	15
PAF: Past Employment	16
PAF: Current Employment	17
PAF: Sources of Financial Support	18
PAF: Legal Issues/Designations	19
PAF: Emerg/Health/Substance Abuse	20

PAF: Activities of Daily Living (ADLs)	21
PAF: Instrumental Activities of Daily Living (IADLs) PAF: Summary	22 23 24
Entering a KET KET: Administrative	24 25
KET: Residential	26
KET: Education	27
KET: Employment	28
KET: Legal/Emergency Interventions	29
KET: Summary	30
Entering a 3M	31-32
3M: Financial Support/Legal/Health/Substance Abuse	33
3M: Activities of Daily Living	34
3M: Instrumental Activities of Daily Living	35
3M: Summary	36
Select a New Partner or Exit	37

### Getting on to ImageNet


To log on to the site use the following web address:

http://rcmhcare.org/imagenet/

or

http://158.61.119.200/imagenet/

### Logging on to ImageNet




Use this link to access ImageNet: <a href="http://www.rcmhcare.org/imagenet/">http://www.rcmhcare.org/imagenet/</a>

The link below will also take you to ImageNet:


http://158.61.119.200/imagenet/

Research and Evaluation, Jun 2012


### **Entering Web Forms**




## Selecting Your Program




### **Selecting Your Reporting Unit**



### Selecting a Partner




### Selecting a Partner (Cont)




data entry.

### **Client FSP Form Selection**



From this screen you can enter a PAF, create new 3Ms and KETs or view and edit any form you have already created.



Main: Return to form selection window

- Numbers: Form pages
- Summary: Review data entered into form and/or print
- Submit: Save changes

Research and Evaluation, Jun 2012


appear to alert you.

## Entering a PAF

#### **PAF (Partner Assessment Form)**

- A PAF must be completed for each new FSP partner enrolled. The Partnership Date must match the enrollment date entered on the previous screen. All fields must be completed in a PAF for the state to consider it complete. Be sure to change default settings (usually a default is a "No" or "0") where appropriate.
- All PAFs should be entered into ImageNet within 60 days of episode opening.
  - Things to remember when completing PAF residential status
    - Click one Yesterday status and one Tonight status in their respective columns
    - For 12 month history data, enter the number of **days** the partner experienced each status. The number of days column **must add up to 365** to be valid.
  - The Education page asks you to:
    - Enter the number of **weeks** the partner experienced each education status.
    - Only click boxes in the Current column if the status is currently true for the partner. At least one must be clicked.
  - The employment page asks you to:
    - Enter the number of weeks the partner experienced each employment status.
    - Common Mistakes: Not entering number of weeks unemployed
- **Common data issues:** Missing required data fields, quite often the highest level of education completed, Tonight or Yesterday residential status, Recovery goal, yes or no, Health Status and Substance Abuse status. **Refer to data collection guidelines document for complete PAF guidelines.**

## **PAF: Administration Page**






The same navigation tools are available on each ImageNet form Page: Main for returning to the form selection page; Numbers for page select; and Summary for data entered in the form and printing records.


2 2 2 2 2 2 2

Click **Submit** to save data on a form page. When you click **Submit** you are automatically taken to the next page (or to **Summary** if you are on the last page of the form).

Note: If you try to leave without saving changes, or try to save before making changes, a message box will appear to alert you.




## **PAF: Education**





#### EMPLOYMENT



## PAF: Past Employment



This section must be filled out for all age groups.

 # of Weeks column: Enter the number of weeks a partner has experienced a status in the past 12 months. Number of weeks in any one category can not exceed 52 weeks.


#### Average Hours/Week & Average Hourly Wage

Columns: If you give weeks for a type of paid employment, you must enter the hours worked each week, and the average hourly wage.


16




### PAF: Current Employment



This data is only required if the partner is *CURRENTLY* employed. Otherwise, leave it empty.



• Check the box if the partner *IS NOT* currently employed.



7

recovery goal at this time indicate Yes or No.

)12

#### EMPLOYMENT

#### CURRENT EMPLOYMENT

AVERAGE

HOURS/WEEK

lo

10

HOURLY WAGE

\$ 0

s 0

\$ 0

\$ 0

\$ 0

Yes 🕙 No 🔿

#### Indicate the youth's employment status...

#### Competitive Employment:

Paid employment in the community in a position that is also open to individuals without a disability.

#### Supported Employment:

Competive Employment (see above) with ongoing on-site or off-site job-related support services provided.

#### Transitional Employment/Enclave:

Paid jobs in the community that are 1) open only to individuals with a disability AND 2) are either time-limited for the purpose of moving to a more permanent job OR are part of a group of disabled individuals who are working as a team in the midst of teams of non-disabled individuals who are performing the same work.

#### Paid In-House Work (Sheltered Workshop/Work Experience/Agency-Owned Business):

Paid jobs <u>open only to program participants with a disability</u>. A Sheltered Workshop usually offers sub-minimum wage work in a simulated environment. A Work Experience (Adjustment) Program within an agency provides exposure to the standard expectations and advantages of employment. An Agency-Owned Business serves customer outside the agency and provides realistic work experiences and can be located at the program site or in the community.

#### Non-paid (Volunteer) Work Experience:

Non-paid (volunteer) jobs in an agency or volunteer work in the community that provides exposure to the standard expectations of employment.

#### Other Gainful/Employment Activity:

Any informal employment activity that increases the youth's income (e.g., recycling, gardening, babysitting) OR participation in formal structured classes and/or workshops providing instruction on issues pertinent to getting a job. (Does NOT include such activities as pandhandling or illegal activities such as prostitution).

Check here if the youth is not employed at this time:

Does one of the youth's current recovery goals include any kind of employment at this time?

Click **Submit** to save and turn page.



D. . . . . . .

Page 5 of 8

## **PAF: Sources of Financial Support**



#### SOURCES OF FINANCIAL SUPPORT

Indicate all the sources of financial support used to meet the needs of the partner:	DURING THE PAST 12 MONTHS mark all that apply	CURRENTLY mark all that apply	
Partner's Wages			Click all the boxes
Partner's Spouse / Significant Other's Wages			that apply to the
Savings		- Jule -	partner for the Past
Other Family Member / Friend			12 Months and
Retirement / Social Security Income			
Veteran's Assistance Benefits			Currently columns.
Loan / Credit			
Housing Subsidy			
General Relief / General Assistance			
Food Stamps			
Temporary Assistance for Needy Families (TANF)			
Supplementary Security Income / Supplementary Payment (SSI/SSP) Program			
Social Security Disability Insurance (SSDI)		$\checkmark$	
State Disability Insurance			
American Indian Tribal Benefits (e.g., per capita, revenue sharing, trust disbursements)			
Other			
No Financial Support <u>Clear All Values</u>		<mark>, , , , , , , , , , , , , , , , , , , </mark>	]
Submit Page 6		Click Submit to save and	
Page 6 of 8		turn page.	
Rese	arch and Evaluatio	n, Jun 2012	18


Go to page: <u>Main 1 2 3 4 5 6</u> 7	ADULT PAF 6/2/06 <u>8 Summary</u>	PAF: Legal Issues
LEGAL ISSUE S / DESIGNATIONS JUSTICE SYSTEM INVOLVEMENT ARREST INFORMATION Indicate the number of times the partner was arrested DURING THE PAST 12 MONTHS: Was the partner arrested anytime PRIOR TO THE LAST 12 MONTHS? PROBATION INFORMATION Is the partner CURRENTLY on probation?	□	The number of arrests defaults to zero. Enter number of occurrences only if the partner was
Was the partner on probation DURING THE PAST 12 MONTHS? Was the partner on probation anytime PRIOR TO THE LAST 12	Yes ⊖ No ⊙	arrested.
Vas ure partier on protoarion anythne PKIOK TO THE LAST 12 MONTHS? PAROLE INFORMATION	Yes ⊖ No ⊙	Click Yes for each
Was the partner on parole anytime DURING THE PAST 12 MONTHS?	Yes ⊖ No⊚	condition that applies to
Was the partner on parole anytime PRIOR TO THE LAST 12 MONTHS? CONSERVATORSHIP / PAYEE INFORMATION	Yes 🔿 No 💿	the partner. ImageNet autofills to NO. You
CONSERVATORSHIP INFORMATION		only need to click if the
Is the partner CURRENTLY on conservatorship? Was the partner on conservatorship DURING THE PAST 12 MONTHS?	Yes ○ No ⊙ Yes ○ No ⊙	condition is Yes.
Was the partner on conservatorship anytime PRIOR TO THE LAST 12 MONTHS?	Yes 🔿 No 💿	
PAYEE INFORMATION Does the partner CURRENTLY have a payee? Did the partner have a payee DURING THE PAST 12 MONTHS' Did the partner have a payee anytime PRIOR TO THE LAST 12 MONTHS?	$\begin{array}{l} \operatorname{Yes} \ \bigcirc \ \operatorname{No} \oslash \\ \operatorname{Yes} \ \bigcirc \ \operatorname{No} \oslash \\ \operatorname{Yes} \ \bigcirc \ \operatorname{No} \oslash \end{array}$	
DEPENDANT (W.& I CODE 300 STATUS) INFORMATION Is the partner CURRENTLY a dependant of the court? Was the partner a dependant of the court DURING THE PAST 12 MONTHS? Was the partner was ever a dependent of the court, indicate the year the partner was first placed on W & I Cod 301 dataset.	$\begin{array}{c} \operatorname{Yes} \bigcirc \operatorname{No} \circledcirc \\ \operatorname{Yes} \bigcirc \operatorname{No} \circledcirc \\ \operatorname{Yes} \bigcirc \operatorname{No} \circledcirc \\ \operatorname{Yes} \bigcirc \operatorname{No} \circledcirc \end{array}$	Custody Information refers to the Partners
CUSTODY INFORMATION         Indicate the total number of children the partner has who are CURRENTLY:         Placed on W&I Code 300 Status         (Operndant of the Court)       0         Placed in Foster Care       0         Legally Reunified with client       0		Image: A second seco
Adopted Out		Research and Evaluation, Jun 2012 19

Submit Page 7
Page 7 of 8

## PAF: Emerg/Health/ Substance Abuse

This is the last data entry page for a PAF. Review or print summary to check data entry.

		ſ	
Go to page:       Main       1       2       3       4       5       6         IMINCENCY INTERVENTION         Please indicate the number of emergency interventions (e.g., emergency room visits, crisis DURING THE PAST 12 MONTHS that were:         Physical Health Related       3       Mental Health / Substance Abuse Re	ME III	. ←	Emergency Interventions defaults to zero. Enter a number only when there have been emergency interventions.
HEALTH STATUS			<del>ろううううう</del> Health Status
Does the partner have a primary care physician CURRENTLY?	Yes O No 💿	←	questions must be
Did the partner have primary car physician DURING THE PAST 12 MONTHS?	Yes 🔿 No 💿		clicked Yes or No.
SUBSTANCE ABUSE			
In the opinion of the partnership service coordinator, does the partner have a co- occuring mental illness and substance use problem?	Yes 🔿 No 💿 🗡	<b>←</b> – <b>∎</b>	<u>,,,,,,,,</u>
Is this an active problem?	Yes 🔿 No 💿		Co-occurring must
Is the partner CURRENTLY receiving substance abuse services?	Yes O No 💿		be clicked Yes or
Click Submit to save.			No. If Yes, then the remaining two questions must be answered.
ImageNet will take you			
to the Summary to			
check your work.			



Page 9 of 10

PAF: Activities




Click each condition that applies to the partner.

21

# PAF: Instrumental Activities of Daily Living (IADLs)


	Go to page:	<u>Main</u>	<u>1</u>	2	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	Ţ	<u>8</u>	<u>9</u>	10	<u>Summary</u>	:						
	<b>F</b>	· · · ·							LIVING (	IADI	J)									
	For each area of	TUNCHONE	ng IIstea	De10W, CN	eck ine a	escrip по	WIT	HOUT LP	WITH S HEL		COMPLE TO DO	TELY	UNABLE							
	Can the client u	ise the tele	ephone?					0	0			0								
	Can the client g	et to place	s out of 1	walking d	istance?			0	0			0					2		<u>)</u>	<b>D</b> 1
	Can the client g	o shoppin;	g for groe	ceries?				0	0			0	ME		•	-	Clic	k each	conditio	n
	Can the client p	repare his	/her own	meals?				0	0			0					that	applies	s to the	
	Can the client d	o his/her (	own hous	ework?				0	0			0					part	ner.		
	Can the client d	o his/her (	own hand	lyman wo	rk?			0	0			0								
	Can the client d	o his/her (	own laun	dry?				0	0			0								
	If the client take medication) cou					ake		0	0			0								
	Can the client n	nanage his	s/her owr	n money?				0	0			0								
	Other							0	0			0								
						<u>Clear</u>	All Value	<u>s</u>												
5	2 2 2	2-2																		
sa wil	ck <mark>Submit</mark> ve. ImageN I take you t <b>mmary</b> to	let	-•		¥		Page 1													
	eck your wo	ork.																		




## Entering a KET


#### KET (Key Event Tracking)


- KETs are for entering specific Key events or status changes. Refer to data collection guidelines for more information on KET follow-up forms.
- The KET form has a section for each kind of status change a partner can experience. The following key areas are tracked on a KET form.
  - Residential
  - Education
  - Employment
  - Legal
  - Emergency Intervention
  - Administration
- Data is only entered where a status change has occurred. If only a residential Key Event has occurred than only residential needs to be completed on the form.
- You can enter data for more than one key area (residential and legal) in a single KET form.
- If there is more than one change in the same Domain (i.e., two or more residential changes), a different KET will be needed for each one.
- Common Errors:
  - Submitting empty KET forms
  - Entering coordinator and other admin data when there hasn't been a change




						KEI:
	Go to page: <u>Main 1</u>	2	ADULT KET 6/2/06 <u>3 4 Summary</u>		R	esidentia
	RESIDENTIAL INFORMATION - in (skip this section if					
ndicate 1	Residential Status Change * Clear the new residential status (mark one): L LIVING ARRANGEMENT	um dd  HOSPI			Ent	<b>Sidential Status</b> : er the <b>date</b> of us change.
0	In an apartment or house alone / with spouses / partner / minor children / other dependents / roommate - must hold lease or share in		N			
0	rent / mortage With one or both biological/adoptive parents	0	-			
0	With adult family member(s) other than parents - non-foster care		) Acute Psychiatric Hospital / Psychiatric Health Facility (PHF	7		1 <del>22222</del>
0		C	) State Psychiatric Hospital			Residential Status:
	Single Room Occupancy (must hold lease) R / HOMELESS	BESID	ENTIAL PROGRAM	JMZ	E	Choose the new
0	Emergency Shelter / Temporary Housing (includes people living with friends but paying no rent)	(C	Licensed Residential Treatment (includes crisis, short-term, l term, substance abuse, dual diagnosis residential programs)	ang.		residential status.
0	Homeless (includes people living in their cars)	0	) Skilled Mursing Facility (physical)			
		0	) Skilled Nursing Facility (psychiatric)			
		0	) Long-Term Institutional Care (IMD, MHRC)"			
UPERV	ISED PLACEMENT	JUSTI	CE PLACEMENT			
$\bigcirc$	Unlicensed but supervised individual placement (includes paid caretakers, personal care attendants, etc.)	0	) Jail			
$\bigcirc$	Assisted Living Facility	0	) Prison			
$\bigcirc$	Unlicensed but supervised congregate placement (includes group living homes, sober living homes)	0	) Other			
	License Community Care Facility (Board and Care)	0	) Unknown			

**Click Submit** to save and turn page. 







## Entering a 3M

#### 3M (Quarterly Assessment)

- A 3M must be completed every three months for active partners, using the enrollment month and episode opening as the base for quarterly due dates. Consult the data collections guidelines for complete description and guidelines on 3M Quarterlies.
- There is a 45 day window for completing a 3M. A 3M can be submitted **15 days before a due date but must be completed by 30 days after a due date**.
- A 3M quarterly due report is available on ImageNet.
- Older Adults (age 60+) have an additional section called ADL/IADL. This is an assessment of the partner's capability to perform basic daily life functions.

## **3M: Quarterly**

County 33 Partner's First Name Age	Go to page: Main 1 2 Summary FULL SERVICE PARTNERSHIP Adult Quarterly Assessment Form FOR AGES 26-59 YEARS PARTNERSHIP INFORMATION CSL County Client Number Ororooz Partner's Last Name Partner's Last Name	ADULT 3M 6/2/06	<b>3M Date:</b> Must be within 15
34 Date Completed Clear Partner's Wages Partner's Spouse / Signific Savings Other Family Member / F Retirement / Social Securi Veteran's Assistance Ben Loan / Credit Housing Subsidy General Relief / General &	ant Other's Wages		days before and 30 days after due date.
Supplementary Security D Social Security Disability State Disability Insurance			Source of Income Click all boxes that currently apply to the partner.

## 3M: Legal/Health/Substance Abuse

Go to page: <u>Main 1</u> 2 <u>Summary</u> LEGAL ISSUES / DESIGNATIONS		
CUSTODY INFORMATION Indicate the total number of children the partner has who are CURRENTLY: Placed on W & I Code 300 Status (Dependant of the Court) Placed in Foster Care Legally Reunified with client Adopted Out		<del>ງງງງງ</del> ງ
HEALTH STATUS Does the partner have a primary case physician CURRENTLY?	🔿 Yes 💿 No 🖣	Health Status Click Yes/No for primary physician.
SUBSTANCE ABUSE In the opinion of the partnership service coordinator, does the partner have a co-occuring mental illness and substance user problem?	○ Yes ⊙ No ←	Substance Abuse Click all that apply.
Is this an active problem?	🔘 Yes 💿 No	
Is the partner CURRENTLY receiving substance abuse services?	🔘 Yes 💿 No	
Click Submit Page 2 of 2 Click Submit page.		

k Submit to e. ImageNet		Go to page:	<u>Main</u>	<u>1</u>	2	3	<u>4</u>					Summar
<ul> <li>Reserves no sesistance (gets in and out of tub by self, if tub is usual means of bathing)</li> <li>Receives assistance in bathing more than one part of the body (area ta back or kg)</li> <li>Receives assistance in getting clothes or in getting thesed without assistance</li> <li>Get clothes and gets completely dressed without assistance</li> <li>Get clothes and gets completely dressed without assistance in typing slose.</li> <li>Get clothes and gets completely dressed without assistance in typing slose.</li> <li>Get clothes and gets completely dressed without assistance in typing slose.</li> <li>Get clothes and gets completely dressed without assistance (may use object for support such as case, walker, or whetchkair and may manage night bedpan or commode, emptying same in AM)</li> <li>Receives assistance in giving dressed without assistance (may use object for support such as case, walker, or water the 'tobet room' or in cleansing self or in arranging clothes after elimination or in use of night bedpan or commode</li> <li>Doesnit go to moon termed 'tolet' for the elimination process</li> </ul> <b>TEMENEI</b> <ul> <li>Mores in and out of foed as well as in and out of chair without assistance (may be using object for support such as case and out of obed as well as in and out of chair with assistance (may be using object for support such as case and such as based and based are well assistance in cutting meal or buttering bread.</li> <li>Boesnit go to urbet</li> </ul> <b>CONTENCE</b> <ul> <li>Controle unination and bowel movement completely by self</li> <li>Boesnit go to trobet</li> </ul> <b>CONTENCE</b> <ul> <li>Get des self without assistance</li> <li>Supervisional 'ascidents'</li> <li>Supervisional 'ascidents'</li> <li>Supervisional base base uses two points for mechanical support such as crutches, a walker or two canes (or wereas abace).</li> <li>Walke without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wereas abace).</li> <li>Uses wheelshin on</li></ul>			IND	EX OF	INDEPEN	DANT A	ACTIV	VITIES OF D	AILY L	IVING (AI	DL)	
<ul> <li>Receives assistance in bathing only one part of the body (such as back or leg)</li> <li>Receives assistance in bathing more than one part of the body (or not bathed)</li> <li>DESSINE <ul> <li>Get clubes and gets completely dressed without assistance</li> <li>Get clubes and gets completely dressed without assistance in typing eloses.</li> <li>Receives assistance in getting clubes or in getting dressed, or stays partly or completely undressed</li> <li>Cose to 'tole' room', cleans self, and arranges cluthes without assistance (may use object for support such as case, will be depan or commode, emptying areas in A.M.)</li> <li>Receives assistance in ging to the 'tole' toom' or in cleansing self or in arranging clubes after elimination or in use of agith bedpan or commode.</li> <li>Doesn't go to room termed 'tole' for the elimination process</li> </ul> </li> <li>Dessity to poor toro to termed 'tole' for the elimination process</li> <li>Dessity tedpan or commode.</li> <li>Ocost to 'tole' toom', cleans self, and arranges clubes will's a in and out of chair without assistance (may be using object for support such as case, as case or walls)</li> <li>Dessity go to room termed 'tole' for the elimination process</li> </ul> <b>ChartNet</b> <ul> <li>Mores in and out of bed as well as in and out of chair without assistance (may be using object for support such as case or walls)</li> <li>Dorst got out of bed</li> </ul> <b>Controls</b> <ul> <li>Mores in and out of bed or chair with assistance</li> <li>Dessity got or constrols unintation and bowel movement completely by self</li> <li>Has coasional' accidents'</li> <li>Supervision helps keep unine or bowl control, catheter is used, or person is incontinent</li> </ul> <b>PUENC</b> <ul> <li>Receives assistance but uses two points for mechanical support such as crutches, a walker or two canes (arrange clubes as if and gratight case)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (arrange as brace).<!--</td--><td></td><td></td><td></td><td>·</td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></li></ul>				·		1						
<ul> <li>Receive assistance in balking more than one part of the body (or not balked)</li> <li>DESSINE <ul> <li>Get clothes and gets completely dressed without assistance.</li> <li>Get clothes and gets completely dressed without assistance, except for assistance in tying shoes.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Const to the from, cleans self, and arranges clothes without assistance (may use object for support such as case, walker, or wheel-hair and may manage night bedpan or commode, emptying same in AM.</li> <li>Get clothes and out of bed as well as in and out of chair without assistance (may use object for support such as case, walker, or wheel-hair and may manage night bedpan or commode, emptying same in AM.</li> <li>Becerview assistance in getting to the 'tolet from or in cleansing self or in arranging clothes after elimination or in case, walker, or wheel-hair and may manage night bedpan or commode, emptying same in AM.</li> <li>Becerview assistance in getting to the 'tolet from or in cleansing self or in arranging clothes after elimination or in case, walker or two or in one and out of bed or chair with subsistance.</li> <li>Becerview assistance in getting to completely by self.</li> <li>Becerview assistance in getting to completely by self.</li> <li>Becerview assistance in getting or sistance in routing mest or buttering bread.</li> <li>Becerview assistance in getting to completely by using tubes or I.V. fluids.</li> </ul> </li> <li>Method assistance in the two provisits for mechanical support such as crutches, a walker or two canes (arease a braes).</li> <li>Wells without assistance in the two provisits for mechanical support such as crutches, a walker or two canes (arease a braes).</li> <li>Wells without assistance in the sup or toris de partit</li></ul>				·•					oatning)			
DESSINE <ul> <li>Get clothes and gets completely dressed without assistance.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Gene to belt hoom, cleans self, and arranges clothes without assistance (may use object for support such as case, wulker, or wheekhair and may manage night bedpan or commode, emptying same in AM).</li> <li>Receives assistance in going to the 'toiket for the elimination process</li> </ul> <li>Mores in and out of bed as well as in and out of chair without assistance (may be using object for support such as case or wulker)</li> <li>Mores in and out of bed or chair with assistance</li> <li>Desen't go to room termed 'toiket' for the elimination process</li> <li>Mores in and out of bed or chair with assistance</li> <li>Besen't got out of bed</li> <li>Controls withintan and howel movement completely by self</li> <li>Genet'ro subsistance</li> <li>Supervision helps keep unite or bowl control, catheter is used, or person is incontinent</li> <li>PEDEM         <ul> <li>Get do self without assistance</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li>Walks on keel without assistance</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (arwas as base).</li> <li>Walks without assistance to use two points for mechanical support such as crutches, a walker or two canes (arwas as base).</li> <li>Walks without assistance to a gor mone days during the past 2 weeks</li> <li>Walks withou</li>						-		-				
<ul> <li>Gets clothes and gets completely dressed without assistance.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Get clothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Concents to foller toom, cleans self, and arranges clothes without assistance (may use object for support such as cane, walker, or wheelchair and may manage night bedpan or commode, emptying same in AM).</li> <li>Goes to tool troom termed 'toilet' for the elimination process</li> <li>Doesn't go to room termed 'toilet' for the elimination process</li> <li>Mores in and out of bed as well as in and out of chair without assistance (may be using object for support such as can be are or walker).</li> <li>Mores in and out of bed as well as in and out of chair without assistance (may be using object for support such as can be are or walker).</li> <li>Mores in and out of bed as well as in and out of chair without assistance (may be using object for support such as can be are or walker).</li> <li>Mores in and out of bed or chair with assistance.</li> <li>Doesn't get out of bed</li> <li>Controls uniation and bowel novement completely by self</li> <li>Has cocacional 'ascidents'</li> <li>Supervision helps keep unine or bowl control, eatheter is used, or person is incontinent</li> </ul> <b>PENNEND</b> <ul> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> <b>Walks</b> without assistance but uses single, straight cane. <ul> <li>Walks without assistance but uses single, straight cane.</li> <li>Walks without assistance but uses single, straight cane.</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wars as bace).</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wars as bace).</li> <li>Walks without assistance but uses two points for mechanical support such as c</li></ul>		/ Receives a	assistance in c	armığ mo	re man one p	pari or me	oudy	(or not oathed)				
<ul> <li>Get dothes and gets dressed without assistance, except for assistance in tying shoes.</li> <li>Receives assistance in getting clothes or in getting dressed, or stays partly or completely undressed</li> <li>TOLETINE <ul> <li>Gots to 'loader comit, cleane self, and arranges clothes without assistance (may use object for support such as cane, well, or wheelchain and may manage tight bedgen or commode, emptying same in AM).</li> <li>Receives assistance in goting to the 'loader toom' or in cleanesing self or in arranging clothes after elimination or in use of night bedgen or commode.</li> <li>Doesn't go to room termed 'tollet' for the elimination process</li> </ul> </li> <li>TAMSUTE <ul> <li>Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as such as cane or walket)</li> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't go to room termed 'toolet' for the elimination process</li> </ul> </li> <li>Controls unation and bovel movement completely by self <ul> <li>Best os castional 'accidents'</li> <li>Controls unation and bovel movement completely by self</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li>Pathos need without assistance <ul> <li>Wells without assistance</li> <li>Wells without assistance but uses ting, straight cane</li> <li>Wells without assistance but uses single, straight cane</li> <li>Wells without assistance but uses single, straight cane</li> <li>Wells without assistance but uses two points for mechanical support such as, a valuer or two canes (or versa shoe)</li> <li>Wells without assistance but uses ting, straight cane</li> <li>Wells without assistance but uses ting, straight cane</li> <li>Wells without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or versa shoe)</li> <li>Wells without assistance but uses toop can be devel during the past 2 weeks en outside of residence on only 1 or 2 days d</li></ul></li></ul>	DH	RESSING										
<ul> <li>Receives assistance in getting clothes or in getting dessed, or stays partly or completely undressed</li> <li>CDENTINE <ul> <li>Goes to 'tolle troom,' cleans self, and arranges clothes without assistance (may use object for support such as case, waller, or wheekhair and may manage night bechan or commode, emptying same in AM)</li> <li>Receives assistance in gigting to the 'tolter the elimination process</li> </ul> </li> <li>CHANSEEE <ul> <li>Morves in and out of bed as well as in and out of chair without assistance (may be using object for support such as case or waller)</li> <li>Morves in and out of bed as well as in and out of chair without assistance (may be using object for support such as case or waller)</li> <li>Morves in and out of bed or chair with assistance</li> <li>Desarit get out of bed</li> </ul> </li> <li>Control without and bowel novement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control, catheter is used, or person is incontinent</li> </ul> <li>Personse assistance in fielding or is field partly or completely by using tubes or 1.V. fluids</li> <li>Personse assistance but tassistance</li> <li>Walls without assistance but tassistance</li> <li>Walls without assistance but tass ingle, straight case</li> <li>Walls without assistance in the elimination or 2 days during the past 2 weeks         en outside of residence on only 1 or 2 days during the past 2 weeks         en outside of residence in past 2 weeks         en outside of residence in past 2 weeks         en outside of residence in past 2 weeks         en outside of residence on only 1 or 2 days during the past 2 weeks         en outside of residence on only 1 or 2 days during the past 2 weeks         en outside of reside</li>	•	Gets cloth	hes and gets co	ompletely	dressed with	hout assist	tance					
TOILETING <ul> <li>             Cost of the toom, cleans self, and arranges clothes without assistance (may use object for support such as case, walker, or wheelchair and may manage right bedpan or commode, emptying same in AM).</li> <li>             Reserves assistance in going to the 'toilet noom' or in cleansing self or in arranging clothes after elimination or in use of night bedpan or commode.</li> <li>             Deserves on termed 'toilet' for the elimination process         </li> </ul> <li>         Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as care or walker)         <ul> <li>Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as care or walker)             <ul> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't get out of bed</li> </ul> </li> <li>Moves in and out of bed novement completely by self         <ul> <li>Gontrols wination and bowel novement completely by self</li> <li>Has occasional 'accidents'             </li> <li>Supervision helps keep wine or bowl control; catheter is used, or person is incontinent</li> </ul> </li> <li>         Pereds self without assistance         <ul> <li>Reserves assistance in feeding or is feed partly or completely by using tubes or 1V. fluids</li> <li>Moles without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or warra a brace)             <ul> <li>Walks with assistance</li> <li>Wal</li></ul></li></ul></li></ul></li>	C	) Get clothe	es and gets dre	essed with	out assistanc	ce, except	for ass	istance in tying	shoes.			
<ul> <li>Goes to 'toilet room', cleans self, and arranges clothes without assistance ( may use object for support such as case, walker, or wheelchair and may manage night bedpan or commode, emptying same in AM).</li> <li>Receives assistance in going to the 'toilet toom' or in cleansing self or in arranging clothes after elimination or in use of night bedpan or commode.</li> <li>Doesn't go to room termed 'toilet' for the elimination process</li> <li><b>TANSPI</b> <ul> <li>Moves in and out of bed or swall as in and out of chair without assistance (may be using object for support such as cane or valker)</li> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't got out of bed</li> </ul> </li> <li><b>Controls uniation and bowel novement completely by self</b> <ul> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control, catheter is used, or person is incontinent</li> </ul> </li> <li><b>PEDINE</b> <ul> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li><b>Walks without assistance</b></li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brave)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brave)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brave)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brave)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brave)</li> <li>Walks without assistance but uses to a consort days during the past 2 weeks the outside of residence on only 1 or 2 days during the past 2 w</li></ul>	C	Receives a	assistance in g	etting clotl	hes or in get	ting dresse	ed, or s	tays partly or c	ompletely	undressed		
<ul> <li>Goes to 'toilet room', cleans self, and arranges clothes without assistance ( may use object for support such as case, walker, or wheelchair and may manage hight bedpan or commode, emptying same in AM).</li> <li>Receives assistance in going to the 'toilet' for the elimination process</li> <li><b>Desen't</b> go to room termed 'toilet' for the elimination process</li> <li><b>Mores</b> in and out of bed as well as in and out of chair without assistance (may be using object for support such as can or walker)</li> <li>Mores in and out of bed or chair with assistance</li> <li>Doesn't go to uto fold</li> <li><b>CONTUNENCE</b> <ul> <li>Controls uniation and bowel movement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control, catheter is used, or person is incontinent</li> </ul> </li> <li><b>PEENNE</b> <ul> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li><b>Walks</b> on level without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance but uses target canes</li> <li>Walks with assistance but uses thore on 3 or more days during the past 2 weeks ther outside of reside</li></ul>	т	TING										
<ul> <li>Receives assistance in grading to the 'ubility backgrad's decigned to a commode, emptying same in AM)</li> <li>Receives assistance in grading to the 'ubility for the elimination process</li> <li>Doesn't go to room termed 'toilet' for the elimination process</li> <li><b>TRANSFIR</b> <ul> <li>Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as cane or walker)</li> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't go to room to freed</li> </ul> </li> <li><b>CONTINENCE</b> <ul> <li>Controls unination and bowel movement completely by self</li> <li>Has cocasional 'accidents'</li> <li>Supervision helps keep urine or bowl control, catheter is used, or person is incontinent</li> </ul> </li> <li><b>PEEDINE</b> <ul> <li>Feeds self without assistance</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li><b>PEDINE</b> <ul> <li>Receives assistance in the dim assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance out uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assi</li></ul></li></ul>		Goes to 't	toilet room', cl	eans self, a	and arranges	clothes w	vithout :	assistance ( may	r use objec	t for support	such as	
<ul> <li>use of night bedpan or commode</li> <li>Doesn't go to noon termed 'toile' for the elimination process</li> <li><b>TANNETE</b> <ul> <li>Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as cane or walker)</li> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't go to or of bed</li> </ul> </li> <li><b>CONTINENCE</b> <ul> <li>Controls urination and bowel movement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control; catheter is used, or person is incontinent</li> </ul> </li> <li><b>PEDING</b> <ul> <li>Feeds self without assistance</li> <li>Feeds self arcept for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li><b>WALKONC</b> <ul> <li>Walks without assistance</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or weas a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> </li> <li><b>CONTINENT</b> <ul> <li>Char All Values</li> </ul> </li> </ul>		cane, walk										
<ul> <li>Coesn't go to room termed 'toilet' for the elimination process</li> <li>TAMSFER <ul> <li>Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as cane or walket)</li> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't get out of bed</li> </ul> </li> <li>CONTONENCE <ul> <li>Controls unhation and bowel movement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control; catheter is used, or person is incontinent</li> </ul> </li> <li>FEEDING <ul> <li>Feeds self without assistance</li> <li>Feeds self without assistance</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li>Walks on level without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wear a brace)</li> <li>Walks without assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> <li>Auster of residence on 30 r more days during the past 2 weeks <ul> <li>en utside of residence in past 2 weeks</li> <li>en utside of residence in past 2 weeks</li> <li>en utside of residence in past 2 weeks</li> </ul></li>	0				e 'toilet room	n'or in clea	ansing s	elf or in arrangi	ng clothes	after eliminat	ion or in	
TRANSFER            • Moves in and out of bed as well as in and out of chair without assistance (may be using object for support such as cane or walker)             • Moves in and out of bed or chair with assistance             • Moves in and out of bed or chair with assistance             • Moves in and out of bed or chair with assistance             • Doesn't get out of bed             • Controls urination and bowel movement completely by self             • Has occasional 'accidents'             • Supervision helps keep urine or bowl control; catheter is used, or person is incontinent             • Feeds self without assistance             • Feeds self except for getting as sistance in outling meat or buttering bread             • Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids             • Walks on level without assistance             • Walks without assistance but uses single, straight cane             • Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes         (or wars a brace)             • Walks with assistance             • Walks with assistance             • Walks with assistance             • Walks with assistance             • Walks with assistance </td <td>C</td> <td>-</td> <td>-</td> <td></td> <td>for the elimi</td> <td>ination pr</td> <td>ocess</td> <td></td> <td></td> <td></td> <td></td> <td></td>	C	-	-		for the elimi	ination pr	ocess					
<ul> <li>such as cane or walker)</li> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't get out of bed</li> <li>CONTINENCE</li> <li>Controls urination and bowel movement completely by self</li> <li>Has occasional "accidents"</li> <li>Supervision helps keep urine or bowl control, catheter is used, or person is incontinent</li> <li>FEEDINC</li> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> <li>WAILS without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> <li>HOUSE-CONTINENTENT</li> <li>COUSE-CONTINENTENT</li> <li>Rubbenit to</li> <li>ImageNet</li> </ul>	TE	-				•						
<ul> <li>Moves in and out of bed or chair with assistance</li> <li>Doesn't get out of bed</li> <li>CONTINENCE <ul> <li>Controls unination and bowel movement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision lebps keep urine or bowl control; catheter is used, or person is incontinent</li> </ul> </li> <li>CEDING <ul> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li>MULTINE <ul> <li>Walks without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> </li> <li>Mot walking or using wheelchair</li> <li>Mot walking or the freidence on 3 or more days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on nay 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even outside of residence on only 1 or 2 days during the past 2 weeks even</li></ul>	G			d as well a	s in and out	of chair w	vithout	assistance (may	be using	object for sup	port	M
<ul> <li>Desn't get out of bed</li> <li>CONTINENCE <ul> <li>Controls wination and bowel movement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control; catheter is used, or person is incontinent</li> </ul> </li> <li>CPEDING <ul> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li>WALKINC <ul> <li>Walks on level without assistance</li> <li>Walks on level without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> </li> <li>CONTINUENT <ul> <li>Mas been outside of residence on 3 or more days during the past 2 weeks</li> <li>Submit to</li> <li>MangeNet</li> <li>Clear All Values</li> </ul> </li> </ul>	0		,	d or chair 1	uzith assistar	nce						Ž
CONTINUE         CONTINUE         Controls wination and bowel novement completely by self         Has occasional 'accidents'         Supervision helps keep urine or bowl control; catheter is used, or person is incontinent <b>PEDINC</b> • Feeds self without assistance         • Feeds self without assistance         • Feeds self except for getting as sistance in cutting meat or buttering bread         • Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids <b>WALKINC</b> • Walks without assistance but uses single, straight cane         • Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)         • Walks without assistance         • Uses wheelchair only         • Not walking or using wheelchair <b>Hus been outside of residence on 3 or more days during the past 2 weeks</b> • Has been outside of residence on only 1 or 2 days during the past 2 weeks         • ImageNet												
<ul> <li>Controls urination and bowel movement completely by self</li> <li>Has occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control; catheter is used, or person is incontinent</li> </ul> <b>PEDINC</b> <ul> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> <b>WALKINE</b> <ul> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks without assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> <b>House CONFINEMENT</b> <ul> <li>Auster or subtief of residence on 3 or more days during the past 2 weeks</li> <li>Outside of residence on only 1 or 2 days during the past 2 weeks</li> <li>MangeNet</li> </ul>		v										
<ul> <li>As occasional 'accidents'</li> <li>Supervision helps keep urine or bowl control; catheter is used, or person is incontinent</li> <li>FEEDING <ul> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> </li> <li>WALKINE <ul> <li>Walks on level without assistance</li> <li>Walks on level without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> </li> <li>HOUSE CONFINEMENT <ul> <li>As been outside of residence on 3 or more days during the past 2 weeks even outside of residence in past 2 weeks</li> <li>Outside of residence in past 2 weeks</li> <li>Not walking or using to even the past 2 weeks</li> <li>Submit to</li> <li>Clear All Values</li> </ul> </li> </ul>				oowel mov	ement comp	oletely by	self					
FEEDING <ul> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> </ul> Walks on level without assistance <ul> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> <ul> <li>Mouse of residence on 3 or more days during the past 2 weeks             <ul> <li>en outside of residence on only 1 or 2 days during the past 2 weeks             <ul> <li>en outside of residence on only 1 or 2 days during the past 2 weeks             </li></ul> <li>Ena All Values</li> </li></ul></li></ul>	G											
<ul> <li>Feeds self without assistance</li> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> <li>WALKINC <ul> <li>Walks without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> </li> <li>HOUSE CONFINEMENT <ul> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> <li>woutside of residence on only 1 or 2 days during the past 2 weeks</li> <li>en outside of residence in past 2 weeks</li> <li>been outside of residence in past 2 weeks</li> <li>Clear All Values</li> </ul> </li> </ul>	C	) Supervisio	on helps keep	urine or bo	owl control;	catheter i	is used,	or person is inc	ontinent			
<ul> <li>Feeds self except for getting as sistance in cutting meat or buttering bread</li> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> <li>WALKNCE <ul> <li>Walks on level without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> </li> <li>Hous been outside of residence on only 1 or 2 days during the past 2 weeks pen outside of residence in past 2 weeks pen outside of residence in past 2 weeks</li> <li>Clear All Values</li> </ul>	FE	EDING										
<ul> <li>Receives assistance in feeding or is fed partly or completely by using tubes or I.V. fluids</li> <li>Walks on level without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> <li>Hus been outside of residence on 3 or more days during the past 2 weeks</li> <li>As been outside of residence in past 2 weeks</li> <li>Den outside of residence in past 2 weeks</li> </ul>	•	Feeds self	f without assis	stance								
Walks       • Walks on level without assistance         • Walks without assistance but uses single, straight cane         • Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)         • Walks with assistance         • Uses wheelchair only         • Not walking or using wheelchair         HOUSE CONFINEMENT         • Has been outside of residence on 3 or more days during the past 2 weeks         • Submit to         • ImageNet	C	) Feeds self	f except for ge	tting as sig	stance in cut	tting meat	orbutt	ering bread				
<ul> <li>Walks on level without assistance</li> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> </ul> HOUSE CONFINEMENT <ul> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> </ul> outside of residence on only 1 or 2 days during the past 2 weeks <ul> <li>Dear All Values</li> </ul>	C	) Receives a	assistance in f	eeding or is	s fed partly	or comple	etely by	vusing tubes or	I.V. fluids			
<ul> <li>Walks without assistance but uses single, straight cane</li> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> <li>HOUSE CONFINEMENT</li> <li>Has been outside of residence on only 1 or 2 days during the past 2 weeks</li> <li>Submit to</li> <li>ImageNet</li> </ul>												
<ul> <li>Walks without assistance but uses two points for mechanical support such as crutches, a walker or two canes (or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> <li>HOUSE CONFINEMENT</li> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> <li>O Uses wheelchair only 1 or 2 days during the past 2 weeks</li> <li>O Uses outside of residence in past 2 weeks</li> <li>Clear All Values</li> </ul>												
<ul> <li>(or wears a brace)</li> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> <li>HOUSE CONFINEMENT</li> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> <li>O Uses wheelchair only</li> <li>It as been outside of residence in past 2 weeks</li> <li>O O O O O O O O O O O O O O O O O O O</li></ul>	C					-						
<ul> <li>Walks with assistance</li> <li>Uses wheelchair only</li> <li>Not walking or using wheelchair</li> <li>HOUSE-CONFINEMENT</li> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> <li>O O O O O O O O O O O O O O O O O O O</li></ul>	C			ce but uses	s two points	; ior mech	anicai s	upport such as	crutches,	a walker or tu	vo canes	
<ul> <li>Not walking or using wheelchair</li> <li>HOUSE-CONFINEMENT <ul> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> </ul> </li> <li>Weeks been outside of residence in past 2 weeks been outside of residence in past 2 weeks</li> <li>Clear All Values</li> </ul>	C											
HOUSE-CONFINEMENT The been outside of residence on 3 or more days during the past 2 weeks The been outside of residence on only 1 or 2 days during the past 2 weeks the been outside of residence in past 2 weeks	C	) Uses whe	elchair only									
<ul> <li>Has been outside of residence on 3 or more days during the past 2 weeks</li> <li>O</li> <l< td=""><td>C</td><td>) Not walki</td><td>ing or using wi</td><td>heelchair</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></l<></ul>	C	) Not walki	ing or using wi	heelchair								
<ul> <li>O O O O O O O O O O O O O O O O O O O</li></ul>	HO											
k Submit to e. ImageNet							-					
e. ImageNet	2-2-				•	•	ng the p	ast 2 weeks				
e. ImageNet	ubmit	to	een outside of	residence	e in past 2 w	reeks						
				- ~	M	CI	lear Al	l Values				
	0		->	3	R W							
take you to the Submit Page	e you t	othe		_	5	Su	ubmit F	Dage				


check your work.

# 3M: Activities of Daily Living (ADL)

Click each condition that applies to the partner.

# 3M: Instrumental Activities of Daily Living (IADL)

Go to page: <u>Main</u>	<u>1</u> <u>2</u>	<u>3</u>	4			Summa	TY I	
For each area of functioning					LIVING (IADI	)		
	,		WITH HE	IOUT	WITH SOME HELP	COMPLETELY UNABLE TO DO	E	
Can the client use the teleph	ione?		c	)	o	0		
Can the client get to places o	ut of walking di	istance?	c	)	o	0		
Can the client go shopping fo	or groceries?		c	)	o	o ye	-+	Click each condition
Can the client prepare his/he	er own meals?		C	)	0	o / -		that applies to the
Can the client do his/her own	n housework?		C	)	0	0		partner.
Can the client do his/her own	n handyman wo	rk?	C	)	0	0		
Can the client do his/her own	n laundry?		C	)	0	0		
If the client takes medication medication) could s/he take i			, c	)	o	o		
Can the client manage his/he	er own money?		C	)	0	0		
Other			C	)	0	0		
		<u>(</u>	<u>Clear All Values</u>					
Click Submit to save. ImageNet will take you to the Summary to check your work.		¥S	ubmit Page					



Research and Evaluation, Jun 2012

## Selecting a New Partner or Exiting

